

SUN
VERAS

sunveras.com

ABOUT US

As Sunveras Gölgelendirme Sistemleri A.Ş., we hold a strong position in the curtain manufacturing industry both in Turkey and in global markets. With a 3,000 m² production area and a team of 50 experienced personnel, we provide services through our retail and wholesale dealers.

Our product range includes rail systems, motorized zip curtain systems, ceiling and vertical zip curtains, and win tents, along with a variety of accessories. With this extensive product line, we aim to produce all types of curtains tailored to the decoration and needs of your living spaces. By adding value to the industry in every aspect, we continue to grow as a well-known and trusted brand both nationally and internationally.



Our Mission

To provide uninterrupted service with the most suitable costs, strong stock capacity, and fast shipment possibilities without compromising the principle of customer satisfaction.

To prioritize the work of our R&D department, closely following innovations and technological developments in the sector.

To offer our customers the best prices, the best planning, and the highest assurance.

To comply with and maintain national and international quality standards.

Our Vision

To provide reliable logistical support in product shipment and instill confidence in this area.

To continue investing in technology in our production processes.

To offer added value to the industry in every aspect, becoming a recognized and trusted brand both nationally and internationally.



Sunveras Gölgeleme Sistemleri A.Ş. olarak, perde imalat sektöründe hem Türkiye’de hem de dünya piyasalarında güçlü bir konumdayız. 3000 m² üretim alanımız ve 50 kişilik deneyimli personelimizle, perakende ve toptan bayilerimiz aracılığıyla hizmet vermekteyiz.

Ürün yelpazemiz, raylı sistemler, mekanizmalı zip perde sistemleri, tavan ve dikey zip perdeler ve win tenteler ile çeşitli aksesuarları kapsamaktadır. Bu geniş ürün yelpazesıyla, her türlü perde çeşidini yaşam alanlarınızın dekorasyonuna ve ihtiyaçlarına uygun şekilde üretmeyi hedefliyoruz. Sektöre her anlamda katma değer sunarak, hem ulusal hem de uluslararası arenada bilinen ve güvenilen bir marka halinde ilerlememize devam etmekteyiz.

Misyonumuz

Müşteri memnuniyeti ilkesinden ödün vermeden, en uygun maliyet, güçlü stok kapasitesi ve hızlı sevkiyat imkanıyla kesintisiz hizmet sunmak.

Ar-Ge departmanımızın çalışmalarına öncelik vererek, sektördeki yenilikleri ve teknolojik gelişmeleri yakından takip etmek.

Müşterilerimize en iyi fiyat, en iyi planlama ve en yüksek güvenceyi sağlamak.

Ulusal ve uluslararası kalite standartlarına uymak ve bu standartları korumak.

Vizyonumuz

Ürün sevkiyatında güvenilir lojistik destek sağlamak ve bu alanda güven vermek.

Üretim süreçlerimizde teknolojiye olan yatırımlarımızı sürdürmek.

Sektöre her anlamda katma değer sunarak, hem ulusal hem de uluslararası arenada bilinen ve güvenilen bir marka haline gelmek.

ZIP SCREEN SYSTEM

BLINDS & SHADES


OUTDOOR

ZIP & AUTOMATIC ZIP



SKY 1500 SERIES

Outdoor Arc Sky Zip Screen



Outdoor Vertical Zip Screen



Remote Control
Uzaktan Kontrol



Lighting Option
Aydınlatma Özelliği



Pest Protection
Haşere Koruması



Privacy Protected
Görüntü Gizliliği



Wind Protection
Rüzgar Koruması



Retractable Mechanism
Açılır Kapanır Mekanizma



Breathing Fabric
Nefes Alan Kumaş




Coil System
Yaylı Sistem



Shock Absorber
Amortisörlü Sistem

*Stylish, comfortable, and functional
solutions for modern outdoor spaces*





SKY 1600 SERIES
Outdoor Shock Absorber
Sky Zip Screen

Zip Screen Outdoor - Automatic

Stylish and comfort to your outdoor spaces

Dış mekanlarda konfor ve zerafet

OUTDOOR VERTICAL ZIP SCREEN



VERTICAL ZIP SCREEN

Outdoor Vertical Zip Screen Dış Mekan Dikey Zip Perde



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions. These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions. They are an ideal solution for pergolas, terraces, and balconies with large glass areas.



Zip screens come in a variety of colors and fabrics, seamlessly blending with your decor, while filtering UV rays to create a cooler and more comfortable indoor environment. Additionally, they enhance energy efficiency by reducing the need for air conditioning in summer and minimizing heat loss in winter. With their sleek design and durable construction, Zip Screen Systems add stylish and comfort to your outdoor spaces.

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur. Özel ray sistemi sayesinde perde kumaşı rüzgarlı havalarda bile sabit kalır ve deforme olmaz. Tek bir tuşla kolayca kontrol edilebilen bu sistemler, akıllı ev sistemleriyle entegre edilebilir, böylece günün saatine veya hava koşullarına göre otomatik olarak ayarlanabilir. Özellikle geniş cam alanlarına sahip pergolalar, teraslar ve balkonlar için ideal bir çözümdür.

Zip perde sistemleri, çeşitli renk ve kumaş seçenekleriyle dekorasyonunuza uyum sağlar, UV ışınlarını filtreleyerek iç mekanlarda serin ve rahat bir ortam sunar. Ayrıca enerji verimliliğini artırarak yazın klima ihtiyacını azaltır, kışın ise ısı kaybını minimuma indirir. Şık tasarımı ve dayanıklı yapısıyla Zip Perde Sistemleri, dış mekanlarınıza zarafet ve konfor katar.



Zip Screen Systems are both an
aesthetic and functional solution
for modern outdoor spaces



VERTICAL ZIP SCREEN


Dış Mekan Dikey Zip Perde

Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces.

They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable.



Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur.






Stylish, comfortable,
and functional solutions
for modern outdoor spaces

SUN
to VERAS



SUN
VERAS

OUTDOOR SKYSCREEN ZIP SCREEN SKY1500 SERIES



SKY 1500 SERIES

Outdoor Sky Zip Screen Yaylı Tavan Zip Perde



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions. These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions. They are an ideal solution for pergolas, terraces, and balconies with large glass areas.

Zip screens come in a variety of colors and fabrics, seamlessly blending with your decor, while filtering UV rays to create a cooler and more comfortable indoor environment. Additionally, in summer and minimizing heat loss in winter. With their sleek design and durable construction, Zip Screen Systems add elegance and comfort


ly, they enhance energy efficiency by reducing the need for air conditioning

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur. Özel ray sistemi sayesinde perde kumaşı rüzgarlı havalarda bile sabit kalır ve deforme olmaz. Tek bir tuşla kolayca kontrol edilebilen bu sistemler, akıllı ev sistemleriyle entegre edilebilir, böylece günün saatine veya hava koşullarına göre otomatik olarak ayarlanabilir. Özellikle geniş cam alanlarına sahip pergolalar, teraslar ve balkonlar için ideal bir çözümdür.

Zip perde sistemleri, çeşitli renk ve kumaş seçenekleriyle dekorasyonunuza uyum sağlar, UV ışınlarını filtreleyerek iç mekanlarda serin ve rahat bir ortam sunar. Ayrıca enerji verimliliğini artırarak yazın klima ihtiyacını azaltır, kışın ise ısı kaybını minimuma indirir. Şık tasarımı ve dayanıklı yapısıyla Zip Perde Sistemleri, dış mekanlarınıza zarafet ve konfor katar.



Stylish, comfortable
and functional solutions
for modern outdoor spaces



SKY 1500 SERIES

Yaylı Tavan Zip Perde

Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces.

They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable.



Remote Control
Uzaktan Kontrol



Lighting Option
Aydınlatma Özelliği



Pest Protection
Haşere Koruması



Privacy Protected
Görüntü Gizliliği



Wind Protection
Rüzgar Koruması



Retractable Mechanism
Açılır Kapanır Mekanizma



Breathing Fabric
Nefes Alan Kumaş



Coil System
Yaylı Sistem

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur.







OUTDOOR


SKY AND


ZIP

SCREEN

SKY1600

SERIES





SKY 1600 SERIES

Outdoor Shock Absorber Zip Screen Amortisörlü Tavan Zip Perde



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions. These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions.

They are an ideal solution for pergolas, terraces, and balconies with large glass areas. Zip screens come in a variety of colors and fabrics, seamlessly blending with your decor, while filtering UV rays to create a cooler and more comfortable indoor environment. Additionally, they enhance energy zing heat loss in winter. With their sleek design, they add elegance and comfort to your outdoor spaces.





efficiency by reducing the need for air conditioning in summer and minimizing energy consumption. Zip Screen Systems add elegance and comfort

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı zümdür. Güneş, rüzgar ve böceklerle karşı sistemi sayesinde perde kumaşı rüzgarlı temler, akıllı ev sistemleriyle entegre edilebilir, alanlarına sahip pergolalar, teraslar ve balkonlar için

Zip Perde Sistemleri, çeşitli renk ve kumaş seçenekleriyle dekorasyonunuza uyum sağlar, UV ışınlarını filtreleyerek iç mekanlarda serin ve rahat bir ortam sunar. Ayrıca enerji verimliliğini artırarak yazın klima ihtiyacını azaltır, kışın ise ısı kaybını minimuma indirir. Şık tasarımı ve dayanıklı yapısıyla Zip Perde Sistemleri, dış mekanlarınıza zarafet ve konfor katar.







SKY 1600 SERIES

Amortisörlü Tavan Zip Perde

Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces.

They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable.



Remote Control

Uzaktan Kontrol



Lighting Option

Aydınlatma Özelliği



Pest Protection

Haşere Koruması




Privacy Protected

Görüntü Gizliliği



Wind Protection

Rüzgar Koruması



Retractable Mechanism

Açılır Kapanır Mekanizma



Breathing Fabric

Nefes Alan Kumaş




Shock Absorber

Amortisörlü Sistem

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklere karşı etkili koruma sağlarken, iç mekanların serin ve konforlu kalmasına yardımcı olur.







SUN
VERAS

OUTDOOR
PERGOLA
SYSTEM
PATIO
AWNING



PERGOLA

Patio Awning Pergola System Veranda Pergola Sistemleri



Zip Screen Systems are both an aesthetic and functional solution for modern outdoor spaces. They provide effective protection against the sun, wind, and insects while helping to keep indoor areas cool and comfortable. Thanks to a special rail system, the fabric remains stable and undisturbed even in windy conditions.

These systems can be easily controlled with the touch of a button and can be integrated with smart home systems, allowing for automatic adjustments based on the time of day or weather conditions. They are an ideal solution for pergolas, terraces, and balconies with large glass areas.

Zip Perde Sistemleri, modern dış mekanlar için hem estetik hem de işlevsel bir çözümdür. Güneş, rüzgar ve böceklerle karşı etkili koruma sağlar, iç mekanların serin ve konforlu kalmasına yardımcı olur.

Özel ray sistemi sayesinde perde kumaşı rüzgarlı havalarda bile sabit kalır ve deforme olmaz. Tek bir tuşla kolayca kontrol edilebilen bu sistemler, akıllı ev sistemleriyle entegre edilebilir, böylece günün saatine veya hava koşullarına göre otomatik olarak ayarlanabilir. Özellikle geniş cam alanlarına sahip pergolalar, teraslar ve balkonlar için ideal bir çözümdür.







FABRIC

Fabric Options Kumaş Seçenekleri




Colours & references



COPACO OUT

Colours & references




COPACO OUT



COPACO OUT



Colours & references




COPACO OUT

Working of a sunscreen

Sunscreen - protection against sunrays

Function: to protect against sunrays, which have a harmful effect on the skin and which cause sunburn.



The sun's rays are divided into: Visible light, UV light and Infrared light.

Visible light: 40% of the sun's rays, which are visible to the human eye.

UV light: 40% of the sun's rays, which are harmful to the skin.

Infrared light: 20% of the sun's rays, which are felt as heat.

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Classes indicate effect of a sunscreen

Technical specifications

TECHNICAL SPECIFICATION	UNITY	STANDARD	RESULT
composition		Glassfibre 42% + PVC 58%	
openness factor	%	EN EN 410	5%
weight	g/m ²	NF EN 12127	525
thickness	mm	ISO 2286 3	0,74
density	yarn/cm	ISO 7211/2	18
colour fastness to artificial light		ISO 105 B02	>7
colour fastness to artificial weathering		ISO 105 B04	>7
tear strength	original	daN	8,5
elongation up to break	original	%	3,1
breaking strength	original	daN/5 cm	2,75
elongation up to break	after colour fastness to artificial weathering	%	2,75
breaking strength	after colour fastness to artificial weathering	%	2,75
elongation up to break	after colour fastness to artificial light	%	4
breaking strength	after colour fastness to artificial light	daN/5 cm	2,75
tear strength	after climatic chamber -30°C	daN	7,8
elongation up to break	after climatic chamber -30°C	%	3,1
breaking strength	after climatic chamber -30°C	daN/5 cm	2,75
tear strength	after climatic chamber +70°C	daN	8,2
elongation up to break	after climatic chamber +70°C	%	2,85
breaking strength	after climatic chamber +70°C	daN/5 cm	2,5
air permeability		l/m ² .s	185
fire classification		ISO 9237	C-s3, d0
	Europe	UNE-EN 13501-1:2007	M1
	France	NF P92-503	Class 1
	Italy	UNI 9177	Class 1
	Germany	DIN 4102	B1
	UK	BS 5867	C
	USA	NFPA 701	FR

COPACO OUT



These properties are given as indicative and don't have any contractual value


Soltis

86

Color, Alu

Exclusive Précontraint® technology

This unique, world-patented technology involves maintaining the composite in bi-axial tension throughout the manufacturing cycle. It ensures our materials' exceptional performance characteristics, which ensure they exceed market standards in terms of long-term stability, strength, coating thickness and flatness.



- | | | |
|---|--|--|
| 1 | High-tensile polyester micro-yarn reinforcing mesh | Higher resistance to elongation and tearing |
| 2 | Coating under bi-axial, warp and wett tension | No deformation during installation and usage |
| 3 | Coating thickness covering top of yarns and dirt repellent surface treatment | Enhanced aesthetic and structural durability |
| 4 | Extremely flat and thin | Easy-to-clean smooth surface ensuring compactness and easy rolling |

Color



Snow white

86-0090



White

86-2044

Champagne

86-2175

Sandy beige

86-2135



Pepper

86-2012

Brick

86-5190

Bronze

86-2043



Boulder

86-2171

Moss green

86-2156

Red

86-0255



Deep red

86-51161

Buttercup

86-2166

Orange

86-0204



Aniseed

86-2167

Deep blue

86-51182

Concrete

86-2167



Beaten metal

86-2045

Anthracite

86-2047

Deep black

86-51176

Alu



White/Alu

86-2051

Out/Alu

86-2046

Alu/Alu

86-2048



Anthracite/Alu

86-2068

Technical properties	
Openness factor	14%
Weight EN ISO 2286-2	380 g/m² ± 11.2 g/m², yd
Thickness	0.45 mm ± 450 microns
Width	177 cm - 267 cm • 69.7 in - 105.1 in
Roll length	
In 177 cm • 69.7 in width	50 m • 54.68 yd
In 267 cm • 105.1 in width	40 m • 43.74 yd
Physical properties	
Tensile strength (warp/weft) EN ISO 1421	230/160 daN/5 cm • 517/360 lbf/2 in
Tear strength (warp/weft) DIN 53 363	45/20 daN • 101/45 lbf
Fire resistance	
Rating	M1/NF P 92-007 B1/CN 4 102-1 M1/LNE 23.727-90 Class 1.0/4 13773 Class 1.1/4 9177-47 VWF 5.3/5h 19089 BS 7837 BS 5827-2 Schwerbrennbar-G1-S1-ENORM A 3000-1 Method 1 NFPA 701 Method 2 NFPA 701 COPM 119 Class A-K07M E84 CAN ULCS109 1330.3-A5-N2S 1330.3-A5-N2S Q1-GOST 30344-94 B-s2,d0
Management system	
Quality: ISO 9001 • Environment: ISO 14001 • Energy: ISO 50001	
Certifications, labels, warranty	

Soltis

92

Color, Alu,
Opaque Alu

Color



Snow white

92-0090



White

92-2044

Champagne

92-2175

Hemp

92-50265



Sandy beige

92-2135

Pepper

92-2012

Brick

92-51180



Bronze

92-2043

Taupe

92-50800

Quartz

92-50303



Shea

92-50843

Havana-Brown

92-50266

Cloud

92-50272

Technical properties	
Openness factor	4%
Weight EN ISO 2286-2	420 g/m² ± 12.4 g/m², yd
Thickness	0.40 mm ± 400 microns
Width	177 cm - 267 cm • 69.7 in - 105.1 in
Roll length	
In 177 cm • 69.7 in	50 m • 54.68 yd
In 267 cm • 105.1 in	40 m • 43.74 yd
Physical properties	
Tensile strength (warp/weft) EN ISO 1421	310/210 daN/5 cm • 697/472 lbf/2 in
Tear strength (warp/weft) DIN 53 363	45/20 daN • 101/45 lbf
Fire resistance	Class 1.0/4 13773 Class 1.1/4 9177-47 VWF 5.3/5h 19089 BS 7837 BS 5827-2 Schwerbrennbar-G1-S1-ENORM A 3000-1 Method 1 NFPA 701 Method 2 NFPA 701 COPM 119 Class A-K07M E84 CAN ULCS109 1330.3-A5-N2S 1330.3-A5-N2S Q1-GOST 30344-94 B-s2,d0
Management system	
Quality: ISO 9001 • Environment: ISO 14001 • Energy: ISO 50001	



Boulder

92-2171

Concrete

92-2167

Dark grey

92-51177



Celestial grey

92-51178

Anthracite

92-2047

Moss green

92-2156



Green-grey

92-51179

Tennis green

92-8056

Deep red

92-51181



Buttercup

92-2166

Lagoon

92-2160

Orange

92-0204



Aniseed

92-2167

Deep blue

92-51182

Red

92-0255



Gold

92-50273

Copper

92-50274

Beaten metal

92-2045



Beetle

92-2149

Deep black

92-51176



White/Alu


92-2051

Out/Alu

92-2046

Alu/Alu

92-2048



Medium grey/Alu

92-2074

Anthracite/Alu

92-2068



White/Alu


B92-1044

Boulder/Alu

B92-2171

Sandy beige/Alu

B92-2135



Alu/Alu

B92-1046

Beaten metal/Alu

B92-1045

Bronze/Alu

B92-1043



Deep black/Alu

B92-21176



SUN VERAS



@ www.sunveras.com
@ info@sunveras.com

+90 536 579 74 84

Sunveras Gölgeleme Sistemleri San. Tic. A.Ş.
Kaynarca Mah. Sazlı Sk. No:5A Pendik/İstanbul